

**Give your tree a refreshing tree bath!**

# Premium tree watering bag



manual online

## 100 liters

Learn more at [www.baumbad.us](http://www.baumbad.us)



**Return address:**

baumbad Bewässerung OÜ  
Wehringhauserstr. 51  
58089 Hagen  
Deutschland

baumbad Bewässerung OÜ  
Keemia tn 4  
10616 Tallinn, Harju maakond,  
Kristiine linnaosa  
Estland

Managing Director: Stefan Flüs  
Registered in Germany  
Value added tax ID: DE332840248

# Instruction manual

Please follow the instructions carefully, then you will have something from your baumbad for a long time!

## 1. Attach the bag

Place the baumbad around the tree trunk<sup>(1)</sup> and then close the zipper. If necessary, attach the lock<sup>(2)</sup> now. Insert the water hose<sup>(3)</sup> deep into the opening of the tree bath.



## 2. Fill the bag

Fill the baumbad to approx. 1/6<sup>(4)</sup> with water and then lift it briefly at the black loops, otherwise the water cannot flow out of the bag. Then fill the bag completely.



### Anti-theft device

Attach the padlock after closing the zipper through the eyelets and fill the bag only **FINALLY** as in step 2.

**Never attach or remove the padlock while the bag is filled!**

To avoid damage to the baumbad, only padlocks with shackle diameter of max. 6 mm and shackle height of at least 50 mm are suitable.

(1) For tree trunks with a circumference of max. 30 cm

(2) Not included in delivery

(3) For water hoses up to a circumference of 4 inches

(4) 1/6 are approx. 10 liters of water



## Application instructions

- Use only clean water. Dirt particles can clog the watering holes of the baumbad. If no clean water is available, it must be filtered through a cloth at the end of the hose!
- Do not attach or hang up the baumbad bag by the black loops!
- The filled bag should neither be opened at the zipper nor transported.
- Do not tear or enlarge the filling opening!
- When using liquid fertilizers, mix them with the water before filling and filter the baumbad solution as described above!
- When the baumbad irrigation bag is not needed, it should be removed from the trunk and stored.

## Tree too thick?

Simply connect several baumbad watering bags.

Our tip



**1. Connect 2 baumbad irrigation bags on one side with the zipper**

**2. Place the connected bags around the tree and close the remaining zipper**

**3. Fill the two bags, as described in the instructions described on the top left**



**trunk circumference up to 30 cm**

One tree watering bag



**Trunk circumference larger than 30 cm**

Connect two baumbad watering bags



Useful tree knowledge and even more tips about  
the baumbad bag can be found at [www.baumbad.us](http://www.baumbad.us)

**Problems, feedback, questions?**

# How can we help you?

If you have questions about the baumbad bag, if you have a problem with the construction, or you just have feedback or suggestions for improvement for us - our team will help you by phone or by e-mail!

## **This is how you can reach us**

+49 (0) 2332 9999 666

service@baumbad.us

Mo - Fr from 09:00 to 18:00 o'clock

**www.baumbad.us**



**Become a tree rescuer**  
[www.baumretter.de](http://www.baumretter.de)

## **The baumbad mission**

We are a young, ambitious startup that has made it our mission in 2019 to protect the green diversity of our city trees from the consequences of climate change. Therefore, we would like to invite you to do our very best to protect nature through an adapted way of living.

**Stefan, engineer and founder**

**f** baumbad.baumbeutel

**ig** baumbad\_de

Made in China